## MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

### **SECTION 1: Identification**

### 1.1. GHS Product identifier

Trade name: MPB501FG

Article no

Article no	Description
003481000008	

### 1.2. Recomended use of the chemical and restrictions on use

Recommended uses: Lubricant.

### 1.3. Supplier's details

**Supplier** 

Company: Mouldpro ApS
Address: Baltorpbakken 10

Zip code: 2750
City: Ballerup
Country: DENMARK

E-mail: sales@mouldpro.com
Phone: +45 70 20 31 31
Homepage: www.mouldpro.com

## 1.4. Emergency phone Number

+ 45 70 20 31 31 (Mouldpro) The emergency telephone is open between 8 a.m. and 4 p.m. on workdays.

### **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

GHS classification: Aerosols, Category 1;H222 Aerosols, Category 1;H229 Skin irritation, Category 2;H315

Specific target organ toxicity - single exposure, Category 3;H336 Reproductive toxicity, Category 2;H361f Hazardous to the aquatic environment, short-term (Acute), Category 3;H402 Hazardous to the aquatic environment, long-term (Chronic), Category 3;H412

Most serious harmful effects: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin

irritation. May cause drowsiness or dizziness. Suspected of damaging fertility. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Prolonged or repeated inhalation of vapors may cause damage to the central nervous system. The product releases organic solvent vapors which may cause drowsiness and dizziness. At high concentrations, the vapors may cause headache and intoxication. If ingested, can be

irritating to mucous membranes of the mouth and gastrointestinal tract.

### 2.2. GHS label elements, including precautionary statements

## **Pictograms**



Signal word: Danger

### MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

**Contains** 

**Substance:** Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane; Hydrocarbons, C9-

C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics;

**Hazard Statements** 

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness. H361f Suspected of damaging fertility.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.
P261 Avoid breathing vapours/spray.

P280 Wear protective gloves/eye protection/face protection.

P410+412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F.

### 2.3. Other hazards which do not result in classification

None known.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes
Petroleum gases, liquefied (with <0,1% 1,3-Butadiene)	68476-85-7 270-704-2	30 -< 60 %	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35	10 -< 30 %	3
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	64742-48-9 919-857-5	5 -< 10 %	3
n-hexane	110-54-3 203-777-6	< 1 %	3
2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol	95-38-5 202-414-9 01-2119777867-13	< 1 %	17

<sup>3 =</sup> H304 is not applicable due to use as aerosols.

## **SECTION 4: First-aid measures**

### 4.1. Description of necessary first-aid measures

**Inhalation:** Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

**Skin contact:** Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

<sup>17 =</sup> M (acute) = 10

## MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

medical advice if symptoms persist.

**Burns:** Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek

medical advice/transport to hospital. If possible, continue flushing until medical attention is

obtained.

**General:** Bring the safety data sheet or label when seeking medical advice.

### 4.2. Most important symptoms/effects, acute and delayed

Irritates mucous membranes in mouth and gastrointestinal tract. Irritating to skin - may cause reddening. The product releases organic solvent vapors which may cause drowsiness and dizziness. At high concentrations, the vapors may cause headache and intoxication. Prolonged or repeated inhalation of vapors may cause damage to the central nervous system. Inhalation of spray mist may cause chemical pneumonia. Suspected of damaging fertility.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptoms. No special immediate treatment required.

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use a jet of water, as it may spread the fire.

### 5.2. Specific hazards arising from the chemical

CAUTION! Aerosol containers may explode. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

### 5.3. Special protective actions for fire-fighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Move containers from danger area if it can be done without risk. Avoid inhalation of vapor and smoke gases - seek fresh air.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Take precautionary measures against static

discharges. Use spark-free tools and explosion proof equipment. Wear respiratory protective equipment. Wear gloves. Wear safety goggles if there is a risk of eye splash.

Provide adequate ventilation. Smoking and naked flames prohibited.

**For emergency responders:** In addition to the above: Protective suit is recommended.

## 6.2. Environmental precautions

Avoid unnecessary release to the environment.

### 6.3. Methods and materials for containment and cleaning up

Wipe up drops and splashes with a cloth.

## 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

## MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Work under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Smoking and naked flames prohibited. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy.

### 7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, drugs, etc. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Keep in tightly closed original packaging. Store in a dry, cool, well-ventilated area. Do not store with the following: Oxidisers.

### 7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Occupational exposure limit: There are no official GHS occupational exposure limits. Be aware of possible national

occupational exposure limits.

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash.

hand protection:

Personal protective equipment, Wear gloves. Type of material: Nitrile rubber. Breakthrough time has not been determined for the product. Change gloves often. The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality

and chemical resistance. Always seek advice from the glove supplier.

respiratory protection:

Personal protective equipment, Light use (small volume, shortterm contact (below 10 min.)): Not required. Medium use (medium volume, medium contact (1-2 hours)): Filter type: A.

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

o. i. information on basic physical and encimed properties			
Parameter	Value/unit		
Physical state	Aerosol		
Color	No data		
Odour	Solvent		
Solubility	No data		

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	

### MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

		Version: 1.2.0
Boiling point or initial boiling point and boiling range	-402 °C	(LPG)
Flammability	No data	
Lower and upper flammability limit	No data	
Lower and upper explosion limit	1.4 - 10.9 vol%	(LPG)
Flash Point	-104 °C	(LPG)
Auto-ignition temperature	365 °C	(LPG)
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water (log value)	No data	
Vapour pressure	590 - 1760 kPa	(LPG)
Density	No data	
Relative density	No data	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

#### 9.2. Other information

Other Information: None.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reacts with the following: Oxidisers.

## 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

Product vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air.

### 10.4. Conditions to avoid

Avoid heating and contact with ignition sources. Avoid direct sunlight.

## 10.5. Incompatible materials

Oxidisers.

### 10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

## **SECTION 11: Toxicological information**

## 11.1. Information on health hazard classes

Acute toxicity - oral: The product does not have to be classified. Test data are not available. Spray mist in mouth

may irritate mucous membranes in mouth and throat.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

### MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

**Acute toxicity - inhalation:** The product does not have to be classified. Test data are not available.

**Skin corrosion/irritation:** Irritating to skin - may cause reddening.

Serious eye damage/eye

irritation:

The product does not have to be classified. Test data are not available. Temporary irritation.

Respiratory sensitization or

skin sensitization:

The product does not have to be classified. Test data are not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** Suspected of damaging fertility.

Single STOT exposure: If ingested, can be irritating to mucous membranes of the mouth and gastrointestinal tract.

The product releases organic solvent vapors which may cause drowsiness and dizziness.

At high concentrations, the vapors may cause headache and intoxication.

Repeated STOT exposure: The product does not have to be classified. Test data are not available. Prolonged or

repeated inhalation of vapors may cause damage to the central nervous system.

Aspiration hazard: The product does not have to be classified. Test data are not available. Inhalation of spray

mist may cause chemical pneumonia.

### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: None known.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

Test data are not available. Not expected to be biodegradable.

### 12.3. Bioaccumulative potential

Test data are not available. No bioaccumulation expected.

### 12.4. Mobility in soil

Test data are not available.

#### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

### 12.6. Endocrine disrupting properties

None known.

## 12.7. Other adverse effects

Volatile organic compound (VOC). Potential for photo-chemical formation of ozone.

## MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Avoid unnecessary release to the environment. Do not dispose of aerosol sprays in refuse collection, even when empty. The sprays must be sent to the municipal chemical waste collection facility.

## **SECTION 14: Transport information**

Land transport (ADR/RID)  14.1. UN number:	1950	14.4. Packing group, if	
14.1. UN Humber.	1950	applicable:	
14.2. UN proper shipping name:	AEROSOLS	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	2.1		
Hazard label(s):	2.1		
Hazard identification number	•	Tunnel restriction code:	D
Inland water ways transpo	ort (ADN)		
14.1. UN number:	1950	14.4. Packing group, if applicable:	
14.2. UN proper shipping name:	AEROSOLS	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	2.1		
Hazard label(s):	2.1		
Transport in tank vessels:			
Sea transport (IMDG)			
14.1. UN number:	1950	14.4. Packing group, if applicable:	
14.2. UN proper shipping name:	AEROSOLS	14.5. Environmental hazards:	The product is not a Marine Pollutant (MP).
14.3. Transport hazard class(es):	2.1	Environmental Hazardous Substance Name(s):	
Hazard label(s):	2.1		
EmS:	F-D, S-U	IMDG Code segregation group:	- None -
Air transport (ICAO-TI / IA	TA-DGR)		
14.1. UN number:	1950	14.4. Packing group, if applicable:	
14.2. UN proper shipping name:	AEROSOLS, FLAMMABLE	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	2.1		
Hazard label(s):	2.1		

None.

14.6. Special precautions for user

## MPB501FG

Replaces date: 3/8/2021 Revision date: 1/24/2022

Version: 1.2.0

## 14.7. Transport in bulk according to IMO instruments

Not applicable.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations specific for the product in question

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

### **SECTION 16: Other information**

### Version history and indication of changes

Version	Revision date	Responsible	Changes
1.2.0	1/24/2022	Bureau Veritas HSE - DOL	3,9,11,12,16
1.1.0	3/8/2021	Bureau Veritas HSE - DOL	2,3,5,7-10,15,16

**Abbreviations:** PBT: Persistent, Bioaccumulative and Toxic

STOT: Specific Target Organ Toxicity

vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with GHS Rev. 7 (2017).

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

**Classification method:** Calculation based on the hazards of the known components.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@dk.bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

Country: UN